L Number	Hits	Search Text	DB	Time stamp
-	20	(toshiro near3 obitsu).in.	USPAT;	2002/11/26 10:33
			US-PGPUB:	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
i -	15	selectively near5 supply\$3 near5 power near5 card	USPAT;	2002/11/27 12:10
		,	US-PGPUB;	
İ			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	l 0	20020124121.URPN.	USPAT	2002/11/26 10:40
-	17	(selectively near5 suppl\$4 near5 power near5 card) not	USPAT;	2002/11/26 10:42
	1	20020124121.URPN.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	(selectively near5 suppl\$4 near5 power near5 card) not	USPAT;	2002/11/26 10:42
	_	(selectively near5 supply\$3 near5 power near5 card)	US-PGPUB;	2002/1/20 10:42
		(constituting means supply to means porter means surely	EPO; JPO;	
			DERWENT:	
	ł		IBM_TDB	
_	4	suppl\$4 near5 power near5 card near8 only near3 (activat\$3	USPAT;	2002/11/26 10:47
	·	or select\$3)	US-PGPUB;	2002/11/20 10.4/
	İ	3. 33.33.33	EPO; JPO;	
			DERWENT;	
	ľ		IBM_TDB	
_	5	suppl\$4 near5 power near5 card near8 only near8 (activat\$3	USPAT;	2002/11/26 11:28
		or select\$3)	US-PGPUB;	2002/11/20 11.20
]		β σοιεσίφο)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	5	("5149945" "5206495" "5349699" "5375037"	USPAT	2002/11/26 10:48
		"5382781").PN.	00171	2002/11/20 10.40
_	6	5613159.URPN.	USPAT	2002/11/26 10:48
-	1119	suppl\$4 near5 power near8 only near8 (activat\$3 or	USPAT;	2002/11/26 12:13
		select\$3)	US-PGPUB;	2002/1//2012:10
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	77	(suppl\$4 near5 power near8 only near8 (activat\$3 or	USPAT;	2002/11/26 12:07
i		select\$3)) near8 (board or card or unit)	US-PGPUB;	2002/1//20 12:07
l		delication (board or said or arm)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	72	((suppl\$4 near5 power near8 only near8 (activat\$3 or	USPAT;	2002/11/26 11:58
	-	select\$3)) near8 (board or card or unit)) not (suppl\$4 near5	US-PGPUB;	
		power near5 card near8 only near8 (activat\$3 or select\$3))	EPO; JPO;	
			DERWENT;	·
			IBM TDB	
-	5	(((suppl\$4 near5 power near8 only near8 (activat\$3 or	USPAT;	2002/11/26 12:01
		select\$3)) near8 (board or card or unit)) not (suppl\$4 near5	US-PGPUB;	
		power near5 card near8 only near8 (activat\$3 or select\$3)))	EPO; JPO;	
		and g06f\$.ipc.	DERWENT;	
			IBM TDB	
_	21283	power near5 supply\$3 near5 controller	USPAT;	2002/11/26 12:04
		From the safety of the same and same	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	451	(power near5 supply\$3 near5 controller) near5 (card or	IBM_TDB USPAT;	2002/11/26 12:02
		board)	US-PGPUB;	2002/11/26 12:03
		Douraj		
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	112	((power near5 supply\$3 near5 controller) near5 (card or board)) and g06f\$.ipc.	USPAT; US-PGPUB;	2002/11/26 12:03
			EPO; JPO; DERWENT;	
	15056	power near3 supply\$3 near3 controller	IBM_TDB USPAT:	2002/11/26 12:18
	10000	power neare supply to heare controller	US-PGPUB;	2002/11/20 12:10
			EPO; JPO; DERWENT;	
	5	(power near3 supply\$3 near3 controller) with (only near3	IBM_TDB USPAT;	2002/11/26 12:12
		(activated or selected))	US-PGPUB;	2002/11/20 12:12
			EPO; JPO; DERWENT;	
-	8	 (suppl\$4 near5 power near8 only near8 (activat\$3 or	IBM_TDB USPAT;	2002/11/26 12:08
		select\$3)) near8 (card)	US-PGPUB; EPO; JPO;	
			DERWENT;	
-	10	(power near3 supply\$3 near3 controller) with (only near3	IBM_TDB USPAT;	2002/11/26 12:13
		(activat\$ or select\$3))	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
-	828	suppl\$4 near5 power near8 only near8 (necessary)	USPAT;	2002/11/26 12:15
			US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	500	suppl\$4 near5 power near5 only near3 (necessary)	USPAT; US-PGPUB;	2002/11/26 12:16
			EPO; JPO; DERWENT;	!
	40		IBM_TDB	
-	10	(power near3 supply\$3 near3 controller) with (only near3 (activat\$3 or select\$3))	USPAT; US-PGPUB;	2002/11/26 12:19
			EPO; JPO; DERWENT;	
	14	(suppl\$4 near5 power near8 only near8 (necessary)) with	IBM_TDB USPAT;	2002/11/26 12:37
,		card	US-PGPUB;	2002/11/20 12:0/
			EPO; JPO; DERWENT;	
-	732	power near3 supply\$3 with (only near3 (activat\$3 or	IBM_TDB USPAT;	2002/11/26 14:29
		select\$3))	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	9	(power near3 supply\$3 with (only near3 (activat\$3 or select\$3))) with card	USPAT;	2002/11/26 12:37
		Sciectos))) with calu	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	33 85	5541985.URPN. (suppl\$4 near5 power near8 only near8 (necessary)) with	USPAT USPAT;	2002/11/26 12:35 2002/11/26 12:38
		device\$1	US-PGPUB	
			EPO; JPO; DERWENT;	
L	l		IBM_TDB	

			,	
-	92	(power near3 supply\$3 with (only near3 (activat\$3 or select\$3))) with device\$1	USPAT; US-PGPUB;	2002/11/26 12:38
			EPO; JPO; DERWENT;	
-	532	power near3 supply\$3 near10 (only near3 (activat\$3 or	IBM_TDB USPAT;	2002/11/26 12:39
		select\$3))	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
-	71	(suppl\$4 near5 power near8 only near8 (necessary)) near8 device\$1	USPAT; US-PGPUB;	2002/11/26 14:28
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	46	(power near3 supply\$3 near10 (only near3 (activat\$3 or select\$3))) near8 device\$1	USPAT; US-PGPUB;	2002/11/26 14:28
			EPO; JPO; DERWENT;	
	40	(/	IBM_TDB	
-	12	((suppl\$4 near5 power near8 only near8 (necessary)) near8 device\$1) and g06f\$.ipc.	USPAT; US-PGPUB;	2002/11/26 12:41
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	8	((power near3 supply\$3 near10 (only near3 (activat\$3 or select\$3))) near8 device\$1) and g06f\$.ipc.	USPAT; US-PGPUB;	2002/11/26 12:46
	,	, ,	EPO; JPO; DERWENT;	•
			IBM_TDB	
-	31 167	5163124.URPN. (suppl\$4 near5 power near8 only near8 (necessary)) near8	USPAT USPAT;	2002/11/26 13:49 2002/11/26 14:28
		circuit\$2	US-PGPUB; EPO; JPO;	
	:		DERWENT;	
-	142	(power near3 supply\$3 near10 (only near3 (activat\$3 or	IBM_TDB USPAT;	2002/11/26 15:39
		select\$3))) near8 circuit\$2	US-PGPUB; EPO; JPO;	
			DERWENT;	
-	12		IBM_TDB USPAT;	2002/11/26 14:34
		circuit\$2) and g06f\$.ipc.	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	71	5796185.URPN.	USPAT	2002/11/26 14:31
-	6	((power near3 supply\$3 near10 (only near3 (activat\$3 or select\$3))) near8 circuit\$2) and g06f\$.ipc.	USPAT; US-PGPUB;	2002/11/26 14:34
			EPO; JPO; DERWENT;	
	15	("3795771" "4727244" "4853555" "4866515" "4896209"	IBM_TDB USPAT	2002/11/26 14:34
	15	"4897714" "5123015" "5203004" "5404567" "5463261" "5473499" "5557541" "5568484" "5586937"	JOI AT	2002/11/20 14.34
_	19	"5636347").PN. 5636347.URPN.	USPAT	2002/11/26 14:35
-	33	5541985.URPN.	USPAT	2002/11/26 14:43
-	1813	determin\$3 near5 combination near5 (circuit\$1 or unit\$1 or block\$1)	USPAT; US-PGPUB;	2002/11/26 15:30
			EPO; JPO; DERWENT;	
			IBM_TDB	<u> </u>

			/	
-	1964	determin\$3 near5 combination near5 (circuit\$1 or unit\$1 or block\$1 or card\$1)	USPAT; US-PGPUB;	2002/11/26 15:33
		Sicological and the sicolo	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	0	(determin\$3 near5 combination near5 (circuit\$1 or unit\$1 or	USPAT;	2002/11/26 15:31
		block\$1)) with (realiz\$3 near5 function)	US-PGPUB;	
	1		EPO; JPO;	
		,	DERWENT; IBM_TDB	
1_	0	(determin\$3 near5 combination near5 (circuit\$1 or unit\$1 or	USPAT;	2002/11/26 15:34
		block\$1 or card\$1)) same (selectively near5 suppl\$4 near5	US-PGPUB;	2002, , ,,20 , 0.0 ,
		power)	EPO; JPO;	
			DERWENT;	
	20	(data-min00 5 tin-tin-tin-min-5 (din 104 104	IBM_TDB	0000444004504
-	39	(determin\$3 near5 combination near5 (circuit\$1 or unit\$1 or	USPAT;	2002/11/26 15:34
		block\$1 or card\$1)) same (selectively)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	10	(determin\$3 near5 combination near5 (circuit\$1 or unit\$1 or	USPAT;	2002/11/26 15:34
		block\$1 or card\$1)) near10 (selectively)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	449	 selectively near5 suppl\$4 near5 power near5 unit\$1	IBM_TDB USPAT;	2002/11/26 15:39
-	1 743	Selectively fleato supplier fleato power fleato uniter	US-PGPUB;	2002/11/20 15.39
	ļ		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	83	selectively near5 suppl\$4 near5 power near5 block\$1	USPAT;	2002/11/26 15:39
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	0	(selectively near5 suppl\$4 near5 power near5 unit\$1) near10	USPAT;	2002/11/26 15:41
		(only near3 (activat\$3 or select\$3))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1_	32	suppl\$4 near5 power near5 unit\$1) near10 (only near3	IBM_TDB USPAT;	2002/11/26 16:01
_	32	(supplied hears power hears units i) hear to (only hears)	US-PGPUB;	2002/11/20 10:01
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	22	(suppl\$4 near5 power near5 block\$1) near10 (only near3	USPAT;	2002/11/26 15:44
		(activat\$3 or select\$3))	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	44	(suppl\$4 near5 power near5 device\$1) near10 (only near3	USPAT;	2002/11/26 16:05
		(activat\$3 or select\$3))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	132	(suppl\$4 near5 power near5 circuit\$2) near10 (only near3	IBM_TDB USPAT;	2002/11/26 15:47
	132	(activat\$3 or select\$3))	US-PGPUB;	2002/11/20 15.4/
		(EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	214	((suppl\$4 near5 power near5 unit\$1) near10 (only near3	USPAT;	2002/11/26 15:47
		(activat\$3 or select\$3))) or ((suppl\$4 near5 power near5	US-PGPUB;	
		block\$1) near10 (only near3 (activat\$3 or select\$3))) or	EPO; JPO;	
		((suppl\$4 near5 power near5 card\$1) near10 (only near3	DERWENT;	
:		(activat\$3 or select\$3))) or ((suppl\$4 near5 power near5	IBM_TDB	
		device\$1) near10 (only near3 (activat\$3 or select\$3))) or		
		((suppl\$4 near5 power near5 circuit\$2) near10 (only near3		
	i	(activat\$3 or select\$3)))		1
-	22	(((suppl\$4 near5 power near5 unit\$1) near10 (only near3	USPAT;	2002/11/26 15:47
		(activat\$3 or select\$3))) or ((suppl\$4 near5 power near5	US-PGPUB;	
		block\$1) near10 (only near3 (activat\$3 or select\$3))) or	EPO; JPO;	
		((suppl\$4 near5 power near5 card\$1) near10 (only near3	DERWENT;	
		(activat\$3 or select\$3))) or ((suppl\$4 near5 power near5	IBM_TDB	
		device\$1) near10 (only near3 (activat\$3 or select\$3))) or		
		((suppl\$4 near5 power near5 circuit\$2) near10 (only near3		
1		(activat\$3 or select\$3)))) and g06f\$.ipc.		
-	3	[(= = = = = = = = = = = = = = = = = =	USPAT;	2002/11/26 16:22
		(activat\$3 or select\$3))	US-PGPUB;	
			EPO; JPO;	
ļ			DERWENT;	
			IBM_TDB	
-	142	(suppl\$4 near5 power near5 (pc adj1 card\$1))	USPAT;	2002/11/26 16:01
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	((suppl\$4 near5 power near5 (pc adj1 card\$1))) near10	USPAT;	2002/11/26 16:02
		((activat\$3 or select\$3))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	12	(suppl\$4 near5 power near5 card\$1) near10 ((device\$1 or	USPAT;	2002/11/26 16:07
		peripheral\$1) near3 (activat\$3 or select\$3))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	l .		IBM_TDB	
-	1	(suppl\$4 near5 power near5 card\$1) near10 only near8	USPAT;	2002/11/26 16:13
		((device\$1 or peripheral\$1) near5 (activat\$3 or select\$3))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	054004	((1,1), 04,, 1, 104)	IBM_TDB	
-	254361	((device\$1 or peripheral\$1) near5 (activat\$3 or select\$3))	USPAT;	2002/11/26 16:18
			US-PGPUB;	
	}		EPO; JPO;	
			DERWENT;	
	17	 selectively near5 suppl\$4 near5 power near5 card\$1	IBM_TDB	2002/44/26 46:40
-	''	selectively fleato supplies fleato power fleato carde i	USPAT;	2002/11/26 16:19
			US-PGPUB;	
	1		EPO; JPO;	
	1		DERWENT;	
l _	15	(((device\$1 or peripheral\$1) pear5 (active\$3 or color*63\\)	IBM_TDB	2002/11/26 16:16
-	'3	(((device\$1 or peripheral\$1) near5 (activat\$3 or select\$3))) near10 (suppl\$4 near5 power near5 card\$1)	USPAT;	2002/11/26 16:16
		Treat to (supplies treats power fleats calculat)	US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
l <u>-</u>	186014	((device\$1 or peripheral\$1) near3 (activat\$3 or select\$3))	IBM_TDB USPAT;	2002/11/26 16:19
_	100014	((devices) of peripherals () fleats (activates of selectes))	•	2002/11/20 10.19
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
L		I	םטוי_ויונים	

-	9709	((printer) near3 (activat\$3 or select\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/26 16:20
-	О	((((device\$1 or peripheral\$1) near3 (activat\$3 or select\$3))) or (((printer) near3 (activat\$3 or select\$3)))) same (selectively near5 suppl\$4 near5 power near5 card\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/26 16:20
-	0	20020057019.URPN. (suppl\$4 near5 power near5 card\$1) near10 ((device\$1 or peripheral\$1) near5 (only near3 (activat\$3 or select\$3)))	IBM_TDB USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/26 16:21 2002/11/27 07:37
-	1	(suppl\$4 near5 power near5 card\$1) near10 ((device\$1 or peripheral\$1) near5 (only near5 (activat\$3 or select\$3)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/26 16:26
-	15	(suppl\$4 near5 power near5 card\$1) near10 ((device\$1 or peripheral\$1) near5 (activat\$3 or select\$3))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/26 16:32
-	17	selectively near5 suppl\$4 near5 power near5 card	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/27 08:06
-	64587	(suppl\$4 near5 power near5 (unit\$1 or interface\$1))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/27 07:44
-	3693	((suppl\$4 near5 power near5 (unit\$1 or interface\$1))) near10 controller	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/27 07:47
-	2	((suppl\$4 near5 power near5 (unit\$1 or interface\$1))) near10 ((device\$1 or peripheral\$1) near5 (only near3 (activat\$3 or select\$3)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/27 07:50
-	3	(((suppl\$4 near5 power near5 (unit\$1 or interface\$1))) near10 controller) near10 (pc near3 card)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/27 07:47
-	0	((suppl\$4 near5 power near5 (unit\$1 or interface\$1))) near10 (((modem or video or sound or dvd) near3 card) near5 (only near3 (activat\$3 or select\$3)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/27 07:51
-	0	((suppl\$4 near5 power near5 (unit\$1 or interface\$1))) near10 (((modem or video or sound or dvd) near3 card) near5 (only near5 (activat\$3 or select\$3)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 07:52

			•	
-	289	selectively near5 suppl\$4 near5 power near5 controller	USPAT; US-PGPUB;	2002/11/27 07:54
			EPO; JPO; DERWENT; IBM TDB	
-	345538	(reduc\$3 or stop\$3) near5 (power or voltage)	USPAT; US-PGPUB;	2002/11/27 08:17
			EPO; JPO; DERWENT; IBM TDB	
-	3	(selectively near5 suppl\$4 near5 power near5 controller) near10 card\$1	USPAT; US-PGPUB; EPO; JPO;	2002/11/27 07:55
	31	(/reduct3 or stopt3) poor5 (power or veltage)) poor9 oord\$1	DERWENT; IBM_TDB	2002/44/27 00:20
	31	((reduc\$3 or stop\$3) near5 (power or voltage)) near8 card\$1 near5 (used or select\$3 or activat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/27 08:29
-	13	 ("5329491" "5572683" "5613092" "5664231" "5671374"	IBM_TDB USPAT	2002/11/27 07:59
		"5778195" "5784291" "5784633" "5797024" "5797031" "5805929" "5937157" "6029211"). PN.	LIODAT	0000/44/07 00 00
-	85 85	6182204.URPN. selectively near5 suppl\$4 near5 power near5 driver\$1	USPAT USPAT; US-PGPUB;	2002/11/27 08:02 2002/11/27 08:17
			EPO; JPO; DERWENT; IBM_TDB	
-	3	(selectively near5 suppl\$4 near5 power near5 driver\$1) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO;	2002/11/27 08:17
	00000	(DERWENT; IBM_TDB	
-	62080	(remov\$3) near5 (power or voltage)	USPAT; US-PGPUB; EPO; JPO;	2002/11/27 08:18
_	224	((remov\$3) near5 (power or voltage)) near8 card\$1 near3	DERWENT; IBM_TDB USPAT;	2002/11/27 08:19
	227	(removed)	US-PGPUB; EPO; JPO;	2002/11/27 06.19
_	10	((reduc\$3 or stop\$3) near5 (power or voltage)) near8 card\$1	DERWENT; IBM_TDB USPAT;	2002/11/27 08:22
		near5 (removed)	US-PGPUB; EPO; JPO; DERWENT;	
-	2	5452256.pn.	IBM_TDB USPAT;	2002/11/27 08:22
:			US-PGPUB; EPO; JPO; DERWENT;	
-	24	((remov\$3) near5 (power or voltage)) near8 card\$1 near5 (used or select\$3 or activat\$3)	IBM_TDB USPAT; US-PGPUB;	2002/11/27 08:27
			EPO; JPO; DERWENT; IBM_TDB	
-	50	((remov\$3) near5 (power or voltage)) near8 (card\$1 or driver\$1) near5 (used or select\$3 or activat\$3)	USPAT; US-PGPUB; EPO; JPO;	2002/11/27 08:29
			DERWENT; IBM_TDB	

-	181	((reduc\$3 or stop\$3) near5 (power or voltage)) near8 driver\$1	USPAT;	2002/11/27 08:33
		near5 (used or select\$3 or activat\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
1_	12	(((reduc\$3 or stop\$3) near5 (power or voltage)) near8	USPAT;	2002/11/27 08:56
-	'2			2002/11/2/ 08.30
		driver\$1 near5 (used or select\$3 or activat\$3)) and g06f\$.ipc.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	4	6182204.pn. or 6029211.pn.	USPAT;	2002/11/27 08:57
			US-PGPUB:	
			EPO; JPO;	
			DERWENT:	
	125	ביד ש הסטטניים בי	IBM_TDB	0000/44/07 40 45
] -	135	jp-\$"30930"-\$.did.	USPAT;	2002/11/27 10:15
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6	jp-\$4"30930"-\$.did. and g06f\$.ipc.	USPAT;	2002/11/27 10:13
		71	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	crton and crt and vcrt	JPO	2002/11/27 10:11
-	0	(crton and crt and vcrt).ab.	JPO	2002/11/27 10:11
-	0	"30930" and "85913"	USPAT;	2002/11/27 10:13
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			· ·	
	2	: nenannan # 4:4	IBM_TDB	0000445074040
-		jp-05030930-\$.did.	USPAT;	2002/11/27 10:19
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	05030930.pn.	USPAT;	2002/11/27 10:17
		·	US-PGPUB	
			EPO; JPO;	
ĺ			DERWENT;	
			IBM_TDB	
I _	2	03095013 nn		0000/44/07 40:40
1		03085913.pn.	USPAT;	2002/11/27 10:18
1			US-PGPUB;	
1			EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
-	0	jp-5030930-\$.did.	USPAT;	2002/11/27 10:19
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
]			IBM_TDB	
_	74	select\$3 near5 supply\$3 near5 power near5 card	USPAT;	2002/44/27 42:47
-	' "	sciedad liegio supplyad fiegio power fiegio card		2002/11/27 12:17
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
]			IBM_TDB	
-	41	(select\$3 near5 supply\$3 near5 power near5 card) and	USPAT;	2002/11/27 12:12
		g06f\$.ipc.	US-PGPUB	
	j		EPO; JPO;	
[DERWENT;	
	1		IBM_TDB	
	<u> </u>			

-	3	(select\$3 near5 supply\$3 near5 power near5 card) with (device\$1 near3 select\$3)	USPAT; US-PGPUB; EPO; JPO;	2002/11/27 12:18
			DERWENT; IBM_TDB	
-	9	stop\$4 near5 (power or voltage\$1) near5 (card near3 PC)	USPAT; US-PGPUB; EPO; JPO;	2002/11/27 14:11
			DERWENT; IBM_TDB	
-	7214	stop\$4 near5 (power or voltage\$1) near5 (unit\$1 or device\$1)	USPAT; US-PGPUB; EPO; JPO;	2002/11/27 14:17
-	188	select\$3 near5 (pc near3 card\$1)	DERWENT; IBM_TDB USPAT; US-PGPUB;	2002/11/27 14:42
			EPO; JPO; DERWENT; IBM_TDB	
-	0	(select\$3 near5 (pc near3 card\$1)) same (reduc\$3 near5 power)	USPAT; US-PGPUB; EPO; JPO;	2002/11/27 14:20
-	0	(select\$3 near5 (pc near3 card\$1)) same (conserv\$3 near5 power)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/11/27 14:20
-	19622	select\$3 near5 (module)	DERWENT; IBM_TDB USPAT; US-PGPUB;	2002/11/27 14:43
-	675	(select\$3 near5 (module)) near5 (power or voltage\$1)	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/11/27 14:45
-	438	select\$5 near5 supply\$3 near5 module\$1	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/11/27 14:50
-	12	((select\$3 near5 (module)) near5 (power or voltage\$1)) near8 (only near5 select\$3)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/11/27 14:47
-	193	select\$5 near5 (supply\$3 near3 power) near5 module\$1	DERWENT; IBM_TDB USPAT; US-PGPUB;	2002/11/27 14:52
_	31	(salact\$5 near5 (supply\$3 near3 newer) near5 module\$1)	EPO; JPO; DERWENT; IBM_TDB	2002/11/27 14:52
	31	(select\$5 near5 (supply\$3 near3 power) near5 module\$1) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/27 14:53
-	229	remov\$3 near5 (pc near2 card\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/11/29 09:05
			DERWENT; IBM_TDB	

-	13	(remov\$3 near5 (pc near2 card\$1)) near10 (power or voltage)	USPAT; US-PGPUB;	2002/11/29 09:07
			EPO; JPO; DERWENT;	
-	180172	(device or peripheral) near5 (disconnected or remov\$3)	IBM_TDB USPAT;	2002/11/29 09:06
			US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	211380	(device\$1 or peripheral\$1) near5 (disconnect\$3 or remov\$3)	USPAT;	2002/11/29 12:05
			US-PGPUB; EPO; JPO;	
	400.400		DERWENT; IBM_TDB	
-	129422	(stop\$4 or remov\$3 or disabl\$3) near5 (power or voltage)	USPAT; US-PGPUB;	2002/11/29 09:27
			EPO; JPO; DERWENT;	
_	2836	((device\$1 or peripheral\$1) near5 (disconnect\$3 or	IBM_TDB USPAT;	2002/11/29 09:22
		remov\$3)) near10 ((stop\$4 or remov\$3 or disabl\$3) near5 (power or voltage))	US-PGPUB; EPO; JPO;	
		, "	DERWENT; IBM_TDB	
-	610	((stop\$4 or remov\$3 or disabl\$3) near5 (power or voltage)) near5 (card\$1)	USPAT; US-PGPUB;	2002/11/29 09:29
			EPO; JPO; DERWENT;	
	15	//dovicest or peripheralst) peers /discomments or	IBM_TDB	2000/44/20 00:04
	15	((device\$1 or peripheral\$1) near5 (disconnect\$3 or remov\$3)) near10 (((stop\$4 or remov\$3 or disabl\$3) near5	USPAT; US-PGPUB;	2002/11/29 09:21
		(power or voltage)) near5 (card\$1))	EPO; JPO; DERWENT;	
-	44	((stop\$4 or remov\$3 or disabl\$3) near5 (power or voltage))	IBM_TDB USPAT;	2002/11/29 09:47
		near5 (pc\$5 near3 card\$1)	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	0.	((device\$1 or peripheral\$1) near5 (disconnect\$3 or remov\$3)) near10 (((stop\$4 or remov\$3 or disabl\$3) near5	USPAT; US-PGPUB;	2002/11/29 09:22
		(power or voltage)) near5 ((pc or pci or pcmcia) near3 card\$1))	EPO; JPO; DERWENT;	
_	2739	((device\$1 or peripheral\$1) near5 (disconnect\$3 or	IBM_TDB USPAT:	2002/11/29 09:22
		remov\$3)) near5 ((stop\$4 or remov\$3 or disabl\$3) near5 (power or voltage))	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	3	(((stop\$4 or remov\$3 or disabl\$3) near5 (power or voltage)) near5 ((pc or pci or pcmcia) near3 card\$1)) near8 (device\$1	USPAT; US-PGPUB;	2002/11/29 09:25
		or peripheral\$1 or printer\$1 or modem\$1 or fax\$2) near5 (disconnect\$3 or remov\$3)	EPO; JPO; DERWENT;	
	54	((stop\$4 or remov\$3 or disabl\$3) near5 (power or voltage))	IBM_TDB USPAT;	2002/11/29 09:48
	57	near5 ((pc or pci or pcmcia) near3 card\$1)	US-PGPUB; EPO; JPO;	2002111129 US.46
			DERWENT;	
-	0	(((device\$1 or peripheral\$1) near5 (disconnect\$3 or	IBM_TDB USPAT;	2002/11/29 09:30
		remov\$3)) near10 ((turn adj1 (on or off)) or turn\$1on or turn\$1off) near5 (power or voltage)) near10 (card\$1)	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	

-	70	((device\$1 or peripheral\$1) near5 (disconnect\$3 or remov\$3)) near10 ((turn adj1 (on or off)) or turn\$1on or turn\$1off) near5 (power or voltage)	USPAT; US-PGPUB; EPO; JPO;	2002/11/29 10:02
			DERWENT; IBM_TDB	
-	64	((device\$1 or peripheral\$1) near5 (disconnect\$3 or remov\$3)) near7 ((turn adj1 (on or off)) or turn\$1on or turn\$1off) near5 (power or voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/29 11:46
-	515845	(detect\$3 or sens\$3) near5 (device\$1 or peripheral\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/29 12:13
-	114	((detect\$3 or sens\$3) near5 (device\$1 or peripheral\$1)) near7 ((turn adj1 (on or off)) or turn\$1on or turn\$1off) near5 (power or voltage)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/29 12:09
-	13	(((detect\$3 or sens\$3) near5 (device\$1 or peripheral\$1)) near7 ((turn adj1 (on or off)) or turn\$1on or turn\$1off) near5 (power or voltage)) and g06f\$.ipc.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/29 09:35
-	0	((detect\$3 or sens\$3) near5 (device\$1 or peripheral\$1)) near7 ((((turn adj1 (on or off)) or turn\$1on or turn\$1off) near5 (power or voltage)) near7 card)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/29 09:40
-	211380	(device\$1 or peripheral\$1) near5 (disconnect\$3 or remov\$3 or ("not" adj1 connected))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/29 09:42
-	5577	((detect\$3 or sens\$3) near5 (device\$1 or peripheral\$1)) near8 (supply\$3 near4 power)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/29 09:47
-	1	(((detect\$3 or sens\$3) near5 (device\$1 or peripheral\$1)) near8 (supply\$3 near4 power)) near10 (pc\$5 near3 card\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/29 09:48
-	1	(((detect\$3 or sens\$3) near5 (device\$1 or peripheral\$1)) near8 (supply\$3 near4 power)) near8 ((pc or pci or pcmcia) near3 card\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/29 09:51
-	67	((detect\$3 or sens\$3) near5 (device\$1 or peripheral\$1)) near8 ((pc or pci or pcmcia) near3 card\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/29 09:51
-	46	(((detect\$3 or sens\$3) near5 (device\$1 or peripheral\$1)) near8 ((pc or pci or pcmcia) near3 card\$1)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/29 11:30
-	16	("4589063" "4975829" "5077683" "5210855" "5265252" "5317695" "5319751" "5379437" "5386567" "5404494" "5404524" "5412798" "5450570" "5465364" "5537597" "5548782").PN.	USPAT	2002/11/29 09:58
<u> </u>	88	5781798.URPN.	USPAT	2002/11/29 10:00

near6 ((pc or pci or pcmcia) near3 card\$1) or ((14889063" USP-GPUB; 19497528") "576528" "526528" "5276538" "526528" "5276538" 5276585" 5276528" 5276628" 527					
	-	171	"4975829" "5077683" "5210855" "5265252" "5317695" "5319751" "5379437" "5386567" "5404494" "5404524" "5412798" "5450570" "5465364" "5537597"	US-PGPUB; EPO; JPO; DERWENT;	2002/11/29 10:02
-	-	10	((((detect\$3 or sens\$3) near5 (device\$1 or peripheral\$1)) near8 ((pc or pci or pcmcia) near3 card\$1)) or (("4589063" "4975829" "5077683" "5210855" "5265252" "5317695" "5319751" "5379437" "5386567" "5404494" "5404524" "5412798" "5450570" "5465364" "5537597" "5548782").PN.) or 5781798.URPN.) and (reduc\$3 near5	US-PGPUB; EPO; JPO; DERWENT;	2002/11/29 10:09
-	-	5	(((turn adj1 (on or off)) or turn\$1on or turn\$1off) near5 (power or voltage)) near8 ((pc or pci or pcmcia) near2	US-PGPUB; EPO; JPO; DERWENT;	2002/11/29 10:04
-	-			USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/29 10:09
2	-	2		USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/29 10:10
147	-	2	((device\$1 or peripheral\$1) near5 (disconnect\$3 or remov\$3)) same ((reduc\$3 near5 power) near10 card)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/29 10:11
147 lee.xp. and sharp.as. USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	-	5	remov\$3)) same ((reduc\$3 near5 power) with (module\$3 or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/29 10:11
- 23 (lee.xp. and sharp.as.) and controller 0 (lee.xp. and sharp.as.) and (video near3 controller) 10 (lee.xp. and sharp.as.) and (video near3 controller) 23 (lee.xp. and sharp.as.) and (controller) 23 (lee.xp. and sharp.as.) and (controller) 10 ((thomas near2 lee).xp. and sharp.as.) and (controller) USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	-	147	lee.xp. and sharp.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/29 11:31
- 0 (lee.xp. and sharp.as.) and (video near3 controller) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	-	23	(lee.xp. and sharp.as.) and controller	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/29 11:33
- 23 (lee.xp. and sharp.as.) and (controller) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; EPO; JPO;	-	0	(lee.xp. and sharp.as.) and (video near3 controller)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/29 11:34
- 10 ((thomas near2 lee).xp. and sharp.as.) and (controller) USPAT; US-PGPUB; EPO; JPO;	-	23	(lee.xp. and sharp.as.) and (controller)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/29 11:39
IBM TDB	-	10	((thomas near2 lee).xp. and sharp.as.) and (controller)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/29 11:35

-	55	(thomas near2 lee).xp. and sharp.as.	USPAT;	2002/11/29 11:41
-			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
1_	150	(power near3 down) near5 card	USPAT;	2002/11/29 12:06
		(power fleare down) fleare said	US-PGPUB;	2002/11/25 12:00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	((power near3 down) near5 card) same ((device or	USPAT;	2002/11/29 11:44
		peripheral) near5 (disconnected or remov\$3))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6	((power near3 down) near5 card) same ((device\$1 or	USPAT;	2002/11/29 11:44
		peripheral\$1) near5 (disconnect\$3 or remov\$3))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	ا ۾	(/nower neer2 dev.m) neerE eard) eees (/detect02 eeeem2)	IBM_TDB	000044/00 44.40
-	4	((power near3 down) near5 card) same ((detect\$3 or sens\$3)	USPAT;	2002/11/29 11:46
		near5 (device\$1 or peripheral\$1))	US-PGPUB;	
1]		EPO; JPO; DERWENT;	
			IBM_TDB	
-	23	((power near3 down) near5 card) with (device\$1 or	USPAT;	2002/11/29 11:50
		peripheral\$1)	US-PGPUB;	2002/11/29 11.30
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	25	((power near3 down) near5 card) near10 (remov\$3 or	USPAT;	2002/11/29 11:52
		unconnect\$3 or disconnect\$3 or ("not" adj1 connect\$3))	US-PGPUB;	
İ		, , , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2337	(power near3 down) near5 (device\$1 or peripheral\$1 or	USPAT;	2002/11/29 11:57
		module\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	12	//power poor? down) poorE (dowing 0.4 or povinh and 0.4	IBM_TDB	0000/44/00 44:57
-	13	((power near3 down) near5 (device\$1 or peripheral\$1 or	USPAT;	2002/11/29 11:57
		module\$1)) near10 card	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
] _	612	(device\$1 or peripheral\$1) near5 (unplug\$4)	USPAT;	2002/11/29 12:05
	"	(anpluget)	US-PGPUB:	_002/11/20 12.00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	((power near3 down) near5 card) same ((device\$1 or	USPAT;	2002/11/29 12:06
		peripheral\$1) near5 (unplug\$4))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	7	((device\$1 or peripheral\$1) near5 (unplug\$4)) same (power	USPAT;	2002/11/29 12:06
		near3 down)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	115	((detect\$3 or sens\$3) poor5 (doviso\$1 or porisheral\$4 \)	IBM_TDB	2002/44/20 42:42
-	'15	((detect\$3 or sens\$3) near5 (device\$1 or peripheral\$1)) near7 (power near3 down)	USPAT;	2002/11/29 12:10
		near (power nears down)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	<u> </u>		פטו_וייוטי	-

-	494	((detect\$3 or sens\$3) near5 (device\$1 or peripheral\$1)) same (power near3 down)	USPAT; US-PGPUB; EPO; JPO;	2002/11/29 12:11
			DERWENT; IBM TDB	
-	2	((detect\$3 or sens\$3) near5 (device\$1 or peripheral\$1)) near7 ((power near3 down) near5 card)	USPAT; US-PGPUB;	2002/11/29 12:10
			EPO; JPO; DERWENT; IBM_TDB	
-	4	((detect\$3 or sens\$3) near5 (device\$1 or peripheral\$1)) same ((power near3 down) near5 card)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/29 12:11
-	30423	(detect\$3 or sens\$3) near5 (device\$1 or peripheral\$1) near5 (connected or disconnected)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/29 12:15
-	40739	(detect\$3 or sens\$3) near5 (device\$1 or peripheral\$1) near5 (connect\$3 or disconnect\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/29 12:17
-	643	"65" same ((power\$3 near1 down) or ((remov\$3 or stop\$4) near3 power))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/11/29 12:19
-	122	((detect\$3 or sens\$3) near5 (device\$1 or peripheral\$1) near5 (connect\$3 or disconnect\$3)) same ((power\$3 near1 down) or ((remov\$3 or stop\$4) near3 power))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/29 12:20
-	320	(internal near3 video) same (external near3 video)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/11/29 12:22
-	2	((detect\$3 or sens\$3) near5 (device\$1 or peripheral\$1) near5 (connect\$3 or disconnect\$3)) same (((power\$3 near1 down) or ((remov\$3 or stop\$4) near3 power)) near10 card)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/29 12:35
-	10408	(pc or pci or pcmcia) near2 card	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/29 12:24
	25	((pc or pci or pcmcia) near2 card) near8 (power near5 (remov\$3 or stop\$3))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/29 12:33
-	15	((pc or pci or pcmcia) near2 card) near8 (selectively near5 power)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/29 12:29
•	554	((pc or pci or pcmcia) near2 card) near8 ((device\$1 or peripheral\$1) near5 connect\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/11/29 12:35
			DERWENT; IBM_TDB	

-	0	(device\$1 or peripheral\$1) near5 ("not" near2 available)	USPAT;	2002/11/29 12:37
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	(((pc or pci or pcmcia) near2 card) near8 ((device\$1 or	USPAT;	2002/11/29 12:37
		peripheral\$1) near5 connect\$3)) same (((power\$3 near1	US-PGPUB;	
		down) or ((remov\$3 or stop\$4) near3 power)) near10 card)	EPO; JPO;	
			DERWENT;	
			I IBM TDB	
-	88	5781798.URPN.	USPAT	2002/11/29 12:41
-	4	5781798.URPN. and (reduc\$3 near5 power)	USPAT:	2002/11/29 12:42
	1		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	